

#### GPCB BMW ID: 367461

11<sup>th</sup> Feb 2021

To,
The Member Secretary
Gujarat Pollution Control Board
Sector 10 A
GANDHINAGAR-382 043

Dear Sir,

# Sub: Submission of returns regarding disposal of Bio-Medical Wastes for the year 2020

We are enclosing herewith the returns regarding disposal of Bio-Medical Wastes for the year 2020 (January to December) as per Form – IV (Rule 13) of Bio Medical Wastes Rules.

We hope you will find the same in order.

Thank you.

Yours faithfully For Zentiva Private Limited

Chirag JOSHI Head - HSE

### Encl:

1. Annual report

: Form IV & XGN statement.

2. Annexure I

: BMW generation & disposal statement.

3. Annexure II

: Membership certificate of

M/s Globe Blo care, Ankleshwar

4. Annexure III

: Copy of BMW authorization.

CC

: The Regional Officer, GPCB, Ankleshwar

CIN No.: U24100MH2019FTC328411

RECEIVED
Gujarat Pollution Control Board,
R.O. Andleshwar.
Date: 12/02/2021



### FORM - IV

# [See rule 13] ANNUAL RETURNS

[To be submitted to the precribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year , by the occupier of health care facility (HCF)]

1	Particualrs of Occupier				
	(i) Name of the authorised person (occupier or operator of facility)	:	Mr. Ashwani SOOD		
	(ii) Name of HCF	:	Zentiva Private Limited (Formerly, Sanofi India limited). Plot No. 3501- 3515, 6301 to 6313 & 16 meter road/c, GIDC Estate, Ankleshwar 393 002, Dist. Bharuch.  M/s. Globe Bio Care, (Centralized Bio-Medical Wastes Treatment facility). Plot No. 144/B, GIDC, Ankleshwar-393002.		
	(iii) Address for Correspondence	:			
	(iv) Address of Facility	:			
	(v) Tel. No, Fax. No		Tel No: (02646) 668405, 668419 Fax No: ( 07646) 251679		
	(vi) E-mail ID	:	<u>ashwani.sood@zentiva.com</u>		
	(vii) URL of Website	:	www.Zentiva.com		
	(viii) GPS coordinates of HCF	;	-		
	(ix) Ownership of HCF	:	Zentiva Private Limited		
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules		Authorization No.:BMW-346582 Valid Up to 12/04/2024.		
_	(xı). Status of Consents under Water Act and Air Act	:	CCA No. AWH-103935 Valid up to 18/08/2074		
Ž	Type of Health Care Facility				
	(i) Bedded Hospital	:	No. of Beds: 4		
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	Not Applicable		
	(iii) License number and its date of expiry	:	Not Applicable		
3	Details of CBMWTF				
	(i) Number healthcare facilities covered by CBMWTF	<u> </u> :	3045		
	(ii) No of beds covered by CBMWTF	:	323		
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	3,000.00 KG/DAY		
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	900		
4	Quantity of waste generated or disposed in kg per annum (on monthly average basis)	:	Yellow Category: Red Lategory: Whit . Annexure 1 Blue Category: General Solid Wast:		
5	Details of the Storage, treatment, transportation, processing	g and	Disposal Facility		
	(i) Details of the on-site storage facility		Size : NA Capacity : NA		
			Provision of on-site storage : (cold storage or anyother provision) NA		

(ii) disposal facilities    Type of treatment No of equipment units of the reaction sequipment units of the sequipment units of the reaction sequipment units of the sequipment u						
recyclers after treatment in kg [Iv) No of vehicles used for collection and transportation of biomodical waste (V) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in kg per annum  Where disposed  Where disposed  (Vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of  (Vii) List of member HCF not handed over common Bio-Medical Waste management committee? If yes, attach minutes of the meetings held during the reaording period  Details trainings conducted on BMW  (I) Number of trainings conducted on BMW Management.  (II) number of personnel trained  (III) number of personnel trained at the time of induction in the personnel trained at the time of induction in the personnel trained at the time of induction in the personnel trained in the p			ï	equipment units city treatedor Kg/day disposed in kg per annum  Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection:		
biomedical waste (v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum  (vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of Viii) List of member HCF not handed over  (vo) Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period  Details trainings conducted on BMW  (i) Number of trainings conducted on BMW Management.  (iii) number of personnel trained at the time of induction  (iv) number of personnel not undergone any training so far  (vi) any other information)  8 Details of the accident occurred during the year  (ii) Number of the persons affected  (iii) Remedial Action taken (Please attach details if any)  (iv) Any Fatality occurred, details.  9 Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?  Details of Continuous online emission monitoring systems		recyclers after treatment in kg	:	Red Category (like plastic, glass etc.)		
disposed during the treatment of wastes in Kg per annum    Ash ETP Sludge		13.0	:	Not Applicable		
Facility Operator through which wastes are disposed of  (vii) List of member HCF not handed over  Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period  Details trainings conducted on BMW  (i) Number of trainings conducted on BMW Management.  (ii) number of personnel trained  (iii) number of personnel trained at the time of induction  (iv) number of personnel not undergone any training so far  (v) whether standard manual for training is available?  (vi) any other information)  Betails of the accident occurred  (ii) Number of Accidents occurred  (iii) Number of the persons affected  (iii) Number of the persons affected  (iv) Any Fatality occurred, details.  Pare you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?  Details of Continuous online emission monitoring systems  (Centralized Bio-Medical Wastes Treatment facility).  No. Due to Covid-19 guideline, Comminitee Indea and gather for meeting.  No. Due to Covid-19 guideline, Comminitee Indea and gather for meeting.  No. Due to Covid-19 guideline, Comminitee Indea and gather for meeting.  The value and gather for meeting.  No. Due to Covid-19 guideline, Comminitee Indea and gather for meeting.  The value and gather for meeting.  The value and gather for meeting.  The value and gather for meeting.  No. Due to Covid-19 guideline, Comminitee Indea and gather for meeting and gather for meeting.  The value and gather for meeting.  No. Due to Covid-19 guideline, Comminitee Indea and gather for meeting.  The value and gather for meeting.  The value and gather for meeting.  No. Due to Covid-19 guideline, Comminitee Indea gather for meeting.  The value and gather for meeting.  No. Due to Covid-19 guideline, Comminitee Indea gather for meeting.  No. Due to Covid-19 guideline, comminitee Indea gather for meeting.  The value and gather for meeting.  No. Due to Covid-19 guideline, comminitee Indea gather for meeting.  No. Due to Covid-19			:	generated Incineration Ash Not		
Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period  To Details trainings conducted on BMW  (i) Number of trainings conducted on BMW Management.  (ii) number of personnel trained  (iii) number of personnel trained  (iv) number of personnel not undergone any training so far  (v) whether standard manual for training is available?  (vi) any other information)  Details of the accident occurred  (iii) Number of Accidents occurred  (iii) Number of the persons affected  (iii) Remedial Action taken (Please attach details if any)  (iv) Any Fatality occurred, details.  Pare you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?  Details of Continuous online emission monitoring systems  No. Due to Covid-19 guideline, Committee last not met and gather for meeting.  No. Due to Covid-19 guideline, Committee last not met and gather for meeting.  No. Due to Covid-19 guideline, Committee last not met and gather for meeting.  No. Due to Covid-19 guideline, Committee last not met and gather for meeting.  1		■ *** *** *** *** *** *** *** *** *** *		The state of the s		
yes, attach minutes of the meetings held during the reporting period  7 Details trainings conducted on BMW  (i) Number of trainings conducted on BMW Management.  (ii) number of personnel trained  : 1  (iii) number of personnel trained at the time of induction  : 2  (iv) number of personnel not undergone any training so far  (v) whether standard manual for training is available?  (vi) any other information)  8 Details of the accident occurred during the year  (i) Number of the persons affected  (ii) Number of the persons affected  (iii) Remedial Action taken (Please attach details if any)  (iv) Any Fatality occurred, details.  9 Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?  Details of Continuous online emission monitoring systems		(vii) List of member HCF not handed over	:	NA ·		
7 Details trainings conducted on BMW  (i) Number of trainings conducted on BMW Management.  (ii) number of personnel trained  (iii) number of personnel trained at the time of induction  (iv) number of personnel not undergone any training so far  (v) whether standard manual for training is available?  (vi) any other information)  8 Details of the accident occurred during the year  (i) Number of Accidents occurred  (ii) Number of the persons affected  (iii) Remedial Action taken (Please attach details if any)  (iv) Any Fatality occurred, details.  9 Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?  Details of Continuous online emission monitoring systems	G	yes, attach minutes of the meetings held during the				
(ii) number of personnel trained : 2 (iii) number of personnel trained at the time of induction : 2 (iv) number of personnel not undergone any training so far : None (v) whether standard manual for training is available? : Yes (vi) any other information) :  8 Details of the accident occurred during the year (i) Number of Accidents occurred : NO (ii) Number of the persons affected : NO (iii) Remedial Action taken (Please attach details if any) : NA (iv) Any Fatality occurred, details. : NO  9 Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems	7					
(iii) number of personnel trained at the time of induction  (iv) number of personnel not undergone any training so far (v) whether standard manual for training is available? (vi) any other information)  Betails of the accident occurred during the year (i) Number of Accidents occurred (ii) Number of the persons affected (iii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details.  Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?  Details of Continuous online emission monitoring systems		(i) Number of trainings conducted on BMW Management.	:	1		
(iv) number of personnel not undergone any training so far : None  (v) whether standard manual for training is available? : Yes (vi) any other information) :  8 Details of the accident occurred during the year (i) Numbor of Accidents occurred : NO (ii) Numbor of the persons affected : NO (iii) Remedial Action taken (Please attach details if any) : NA (iv) Any Fatality occurred, details. : NO  9 Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems : NA		(ii) number of personnel trained	:	2		
(v) whether standard manual for training is available? (vi) any other information)  Betails of the accident occurred during the year  (I) Number of Accidents occurred  (Ii) Number of the persons affected  (III) Remedial Action taken (Please attach details if any)  (IV) Any Fatality occurred, details.  Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?  Details of Continuous online emission monitoring systems		(iii) number of personnel trained at the time of induction	:	2		
(vi) any other information)  8 Details of the accident occurred during the year  (i) Number of Accidents occurred  (ii) Number of the persons affected  (iii) Remedial Action taken (Please attach details if any)  (iv) Any Fatality occurred, details.  NO  9 Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?  Details of Continuous online emission monitoring systems		(iv) number of personnel not undergone any training so far	:	None		
B Details of the accident occurred during the year  (i) Number of Accidents occurred  (ii) Number of the persons affected  (iii) Remedial Action taken (Please attach details if any)  (iv) Any Fatality occurred, details.  9 Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?  Details of Continuous online emission monitoring systems		(v) whether standard manual for training is available?	:	Yes		
(i) Number of Accidents occurred  (ii) Number of the persons affected  (iii) Remedial Action taken (Please attach details if any)  (iv) Any Fatality occurred, details.  NO  Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?  Details of Continuous online emission monitoring systems		(vi) any other information)	:			
(ii) Number of the persons affected  (iii) Remedial Action taken (Please attach details if any)  (iv) Any Fatality occurred, details.  NO  Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?  Details of Continuous online emission monitoring systems	8	Details of the accident occurred during the year				
(iii) Remedial Action taken (Please attach details if any)  (iv) Any Fatality occurred, details.  NO  Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?  Details of Continuous online emission monitoring systems		(i) Number of Accidents occurred		NO NO		
(iii) Remedial Action taken (Please attach details if any)  (iv) Any Fatality occurred, details.  NO  Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?  Details of Continuous online emission monitoring systems		(ii) Number of the persons affected	:			
(iv) Any Fatality occurred, details.  9 Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?  Details of Continuous online emission monitoring systems		(iii) Remedial Action taken (Please attach details if any)	:			
9 Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?  Details of Continuous online emission monitoring systems		(iv) Any Fatality occurred, details.	:			
	9	incinerator? How many times in last year could not met the	:			
		DC 090 AND	:	NA RANAT		

Mar Mar

10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	;	Never
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards	:	NA
12	Any other relevant information	:	New factory medical officer appointed Dr. Bhaumik full time

Certified that the above report is for the period from January-2020 to December -2020 annual return of Bio-Medical Waste (Handling & Management ) Rules ,2016

Date : 11/2/2021 Place : Ankleshwar Mr. Chirag JOSHI Head - HSE

BIO MEDICAL WASTE DISPOSAL DATA FOR THE PERIOD JANUARY-2020 TO DECEMBER -2020 Annexure - 1

	Total	13.347	6.532	0.326	2.783
	Dec-20	0.967	1.508	0.065	0.190
	Nov-20		1.276	0.137	0.437
	Oct-20	0.092	0.662	0.062	1.751
	Sep-20	0.50	0.492	0.012	0.031
	Jul-20 Sep-20	0.208	0.169	0.028	0.019
		3.225	0.952	0.002	0.011
	Jun-20	2.874	0.351	0.000	0.024
	Feb-20 Mar-26 Apr-20 May-20 Jun-20	3.427	0.476	0.004	0.079
	Apr-20	0.078	0.100	0.003	0.012
	Mar-26	0.848	0.105	0.003	0.013
		0.110	0.241	0.602	0.C72
	Jan-20	0.738	0.186	0.004	0.144
	Unit	Kgs	Kgs	Kgs	Kgs
	Waste Category	Yellow	Red	White (Transluce nt)	Blue
Waste Description	Type of Waste	(c) Soiled Waste: Items con acturated with blood, body fluids like dressings, plaster casts, cotton swabs and bags containing residual or discarded blood and blood compounents.  (d) Expired or Discarded Medicines Pharmaceutical waste like acutivities, cytotoxic drugs including all items contaminated with cytotoxic drugs along with grees or plastic ampoules, vials etc.  (g) Discarded linen, mattresses beddings contaminated with blood or body fluid.	Contaminated Waste (Recyclather: 3th Wastes generated from disposable items such as tubing, bottles, intravenous tubes anasets, catheters, urine bags, syringes (without resalles and fixed needle syringes) and vaccutances with their needles cut) and gloves.	Waste sharps including Metals: Needles, syringes with fixed needles, reedles from needles tip cutter or burner, scalpels. Hades or any other contaminated sharp object tim: may case puncture and cuts. This includes both reed, discarded and contaminated mota.	(a) Glassware: Broken or discarces and contaminated glass including medicine vials and ampoules except those conteminated with cytotoxic wastes.
Sr.No		-	2	К	4

SIGNATURE & NAME:

Keyemely